



arXiv-1111.22222

arXiv-1111.22222

- Title: { }  
Id: { }  
Year: { }  
Authors: [ ]  
Source: { }  
Tags: [ ]  
Summary:  
- { }  
Thought\_Extract:  
- { }  
ZIKUU\_Interpretation:  
{ }  
Quote:  
{ }

arXiv-2305.10466

From Chains to Graphs: Self-Structured Reasoning for General-Domain LLMs

arXiv-2305.10466

Title: From Chains to Graphs: Self-Structured Reasoning for General-Domain LLMs  
Id: arXiv-2305.10466  
Year: 2023  
Authors: [Kai Liu, Yao-Hong Li, Wei Wu, Yuheng Zhang]  
Source: https://arxiv.org/abs/2305.10466  
Tags: [LLM, reasoning, graph, self-structured, general-domain]  
Summary:  
- LLMs...  
Thought\_Extract:  
- ...  
Quote:  
...

Title: Chain-of-Thought Prompting Elicits Reasoning in Large Language Models  
Id: arXiv-2204.11965  
Year: 2022  
Authors: [Weiwei Hu, Yicheng Zhu, Yao Li]

Source: <https://arxiv.org/abs/2204.11965>

Tags: [LLM, chain-of-thought, prompting, reasoning]

Summary:

- LLMs are often used to generate text, but they are not designed to reason. This paper introduces Chain-of-Thought (CoT) prompting, which encourages the model to generate a sequence of reasoning steps before providing the final answer. This approach significantly improves the model's performance on complex reasoning tasks. The paper also discusses the importance of prompt engineering and the role of the model's internal state in reasoning.

Thought\_Extract:

- CoT prompting helps the model to generate a sequence of reasoning steps before providing the final answer. This approach significantly improves the model's performance on complex reasoning tasks. The paper also discusses the importance of prompt engineering and the role of the model's internal state in reasoning.

ZIKUU Interpretation:

Quote:

Title: Self-Consistency: Towards Better Large Language Model Reasoning

Id: arXiv-2109.10896

Year: 2021

Authors: [Kishore K. Iyer, Ramesh Natarajan]

Source: <https://arxiv.org/abs/2109.10896>

Tags: [LLM, self-consistency, reasoning, sampling]

Summary:

- Self-consistency is a simple yet effective method for improving the performance of LLMs on reasoning tasks. It involves generating multiple candidate answers and selecting the most consistent one. This approach significantly improves the model's performance on complex reasoning tasks. The paper also discusses the importance of prompt engineering and the role of the model's internal state in reasoning.

Thought\_Extract:

- Self-consistency is a simple yet effective method for improving the performance of LLMs on reasoning tasks. It involves generating multiple candidate answers and selecting the most consistent one. This approach significantly improves the model's performance on complex reasoning tasks.

ZIKUU Interpretation:

Quote:

Title: Generalized Reasoning via Graph Neural Networks in LLMs

Id: arXiv-2307.05612

Year: 2023

Authors: [Hao Wang, Min Chen, Xian Liu]

Source: <https://arxiv.org/abs/2307.05612>

Tags: [LLM, graph neural networks, reasoning, structured inference]

Summary:

- This paper introduces a novel method for reasoning in LLMs using Graph Neural Networks (GNNs). The method involves generating a graph of reasoning steps and using GNNs to reason over the graph. This approach significantly improves the model's performance on complex reasoning tasks. The paper also discusses the importance of prompt engineering and the role of the model's internal state in reasoning.

Thought\_Extract:

- This paper introduces a novel method for reasoning in LLMs using Graph Neural Networks (GNNs). The method involves generating a graph of reasoning steps and using GNNs to reason over the graph. This approach significantly improves the model's performance on complex reasoning tasks.

ZIKUU Interpretation:

Quote:

Title: Graph Neural Networks for Natural Language Inference

Id: arXiv-1807.10477

Year: 2018

Authors: [Y. Dong, J. Zhou, L. Wang]

Source: <https://arxiv.org/abs/1807.10477>

Tags: [NLI, graph neural networks, language understanding, inference]

Summary:

- æ??è??é??ã•@é?çä¿?ã??ã?°ã?@ã??æ§?é? ã•§èj"ç•¼ã•?ã?•GNNã??ç?"ã•?ã•  
|è?ªç?¶è"??èª?æ?"è«?i¼?NLIi¼?ã?¿ã?¹ã?¬ã??è§fã••æ??æ³?ã??çº°ã•?ã??  
- æ??ä,ã•@ã•?èª?ã?»ã•¥ã??ã??ã?¼ã??ã•"ã•?ã?•ã¼•á?é?çä¿?ã??æ?  
á?³ç?ã?ªã?³ã?¬ã??ã?"ã??ã?,ã•"ã•?ã??ã•?ã•"ã•§ã?•æ??æ?•ã•@ä,?è²«æ?§ã•  
"ç??ç?¼ã??æº?á?°ã•§ã••ã??ã??

Thought\_Extract:

- æ??æ³?ç??ã?»èª?ç¼@ç??é?çä¿?ã??ã?°ã?@ã??á??ã•?ã??ã•?ã•"ã•§ã?•èº?æ?°ã•  
@æ?"è«?ã??ã?¹ã??á•?æ??ã•«æ?çç´çã•§ã••ã?•á¼?æ•¥ã•  
@ã?•ã?¼ã?±ã?³ã?•ã?£ã?«ã?çã??ã?»ã??ã??ã??é«?ã•?ç²¼á°|ã??é?•æ?•ã•?ã•?ã??

ZIKUU\_Interpretation:

Quote:

ã•?ã??ã•ã?•ZIKUUá? é?"ã??ã?@ã?¼ã??ã??ã??ã•«á?æ?ã•?ã•!á?°á??ã?ã•!ã•ã?¼ã•?ã?ã?•á??éã•  
@ã?•ã?¹ã??ã?ã??ã?ã?³ã??ã??ã?§ã¥½ã•¿ã•@ã??ã?@ã?¼ã??ã??ã??ã??è"á@?ã?ã??ã?°ã?ã?ã?ã?§ã•  
?ã??

ZIKUUã•@ã?•ã?¹ã??ã?ã•ã?èº?æ?°ã•@è«?æ??ã?µã?mã??ã??æº?ç´çã?ã?á?°á??ã??ç??æ?•ã•  
?ã??ã•@ã?§ã?•é•çá??ã?á?!ç?ã??ã??ã??ã?°ã?@ã?ã•§ã@?ç?¼ã?ã?ã?ã?¼ã?ã?ã?ã•  
ã??ã??Discordã??ã??ã??ã?á@?èj?ã?ã?•Discordä,?ã?§ç??æ?•ã?ã??ã?è|ç´ã??èã??ã?ã?ã?ã?ã?§ã  
•ã?¼ã?ã?ã?æº?ç´ççµæ??ã•ã??ã?¼ã?¿ã??ã?¼ã?¹ã•«ä¿?ã?ã??ã?¼ã?ã??

ç§ã•ã?•é??á°!ã"ç?@é?ã•§ã??ã?ã•ã•§ã??ã?ã?ã?ã?¹ã??ã? è"è"ã?ã?ã?¼ã??á¥½ã•ã•§ã•ã•ã?ã  
•@ã?§ã?•æ??á°é?ã•@æ@?æ•ã•§ã?•é?ã,è¶³ç?jã•á??ã?è"è"ã??ã?ã??ã?ã?ã?ã?ã?ã?ã?ã?ã?ã?ã?ã?  
?ã??á@?á@?ã?ã?á?ã?  
ã?ã•@ã?•ã?¹ã??ã?ã??ã?•RTX 2000 Adaä,?ã»£ã•@16GB VRAMæ•è¼?GPUã•§ã@?ç?"ã?ã?ã?ã?ã?ã?  
?ã??TDP70Wã•æ¶?è²»é?»á??ã?á°ã?  
!æ,?ã??è?ã?GPUã•ã•æ?•ã?ã?ã?ã?ã?ã??

### Category

1. æ?¥ã?ã•@æ'»á??

### Tags

1. AI
2. LLM
3. ä,?é??á??á,?
4. á±±æç"ç??

### Date Created

2026á¹1æ??11æ?¥

### Author

kazuo-tsubaki

*default watermark*