

The screenshot shows a Gitea web interface for a repository named 'radio-transcripts'. The user is viewing a file named 'radio-transcripts/2026/04/05/0916/121409/metadata.json'. The file content is a JSON object with the following fields:

```
1 {
2   "station": "文化放送",
3   "freq_mhz": 91.6,
4   "duration_sec": 30,
5   "started_at": "2026-04-05T12:14:09.709834+09:00",
6   "audio_format": "wav",
7   "sample_rate": 16000,
8   "channels": 1,
9   "out_path": "/data/work/文化放送_20260405121409.wav",
10  "exit_status": "success",
11  "rtl_fm_rc": 0,
12  "sox_rc": 0,
13  "rtl_fm_stderr_tail": "Found 1 device(s):\n 0: Realtek, RTL2838UHIDIR, SN: 00000001\n\nUsing device 0: Gener
14  OEM\n\nFound Rafael Micro R829T tuner\n\nTuner gain set to automatic.\n\nTuned to 91916000 Hz.\n\nOversampling input by:
15  1x.\n\nOversampling output by: 1x.\n\nBuffer size: 6.83ms\n\nAllocating 15 zero-copy buffers\n\nSampling at 1200000 S/s.\n
16  1200000 Hz.\n\nSignal caught, exiting!\n\nUser cancel, exiting...\n",
17  "sox_stderr_tail": "",
18  "rtl_in_rate": 1200000,
19  "rtl_out_rate": 2000000,
20  "frames": 480000,
21  "duration_sec_actual": 30.0,
22  "partial": false
23 }
```

The interface also shows a file explorer on the left with a tree view of the repository structure: 2026 > 04 > 05 > 0916 > 121409 > metadata.json. The footer of the page indicates it is powered by Gitea version 1.25.2, with a page load time of 69ms and a template load time of 8ms.

1. AI
2. Pivot Service
3. Radio Mind
4. ä,?é??å??å,?
5. å±±æç??

Date Created

2026å'4æ??5æ?¥

Author

kazuo-tsubaki

default watermark