Anthropic ã•¨ ZIKUU ã•®æ??è¡?æ?•æ?³æ¯?è¼?

Description

Intelligence in the Harness / Meaning in the Context

Anthropic ã•®æ??è¿?ã•®æµ•ã??ã•¯ã?•å•?ç´?ã•«ã??ã??ã??å¤§ã••ã•ªã?¢ã??ã?«ã??ä½?ã??ã?•ã•?ã??å°?ã•?é?¢ã??ã?**•ã?¢ã??ã?«ã•®å¤?å•´ã•«ã•?ã?? Scaffold / Harness ã•«ç?¥è?½ã??å??æ?£ã•?ã•?ã??**æ?¹å•?ã•¸é?²ã??ã•§ã•?ã??ã??ã•?ã•«è¦?ã•?ã??ã??

ã•¤ã•¾ã??ã?•

LLMå•?ä½?
â??
Agent Scaffold
â??
Tool use
â??
Memory
â??
Planner
â??
Verifier

default watermark

ã•¨ã•?ã•?æ§?æ?•ã??

ã?¢ã??ã?«ã••ã•®ã??ã•®ã??å·¨å¤§å??ã•?ã??ã• ã•?ã•§ã•¯ãªã••ã?•ã?¢ã??ã?«ã??å•?ã??å·»ã•• å®?è¡?ç?°å¢?ã?•ã??ã?¼ã?«ã?•æ¤?è¨¼ã?•ã?¿ã?¹ã?¯å??è§£ã®æ§?é? ã•«ã??ã•£ã•¦ã?•å ¨ä½?ã•¨ã•?ã •¦ã•®ç?¥ç??è?½å??ã??é«?ã?•ã??ã??

ã•?ã•®è¦?æ?¹ã•¯ã?•

Intelligence is in the Harness

ã•¨è¨?ã•?ã??ã??

ä¸?æ?¹ã?•ZIKUU ã•®æ?¹å•?ã•¯å°?ã?é•?ã•?ã??

ZIKUU ã•§ã•¯ã?•LLMã??ä¸å¿?ã•«ç½®ã•?ã•ªã•?ã??
LLMã•¯ã?•ã•¾ã•§å?¦ç•?ã?¨ã?³ã?¸ã?³ã•§ã•?ã??ã?•ä¸å¿?ã•«ã•?ã??ã•®ã•¯ã?•

Event
â??
Context
â??
Pivot
â??

Meaning Space

ã•¨ã•?ã•?æµ•ã??ã??

ã•?ã•?ã•§é?•è¦•ã•ªã•®ã•¯ã?ç?¥è?ã??æ?•å?³ã??æ??è??ã??LLMå? é?¨ã•«ç?¼ã••è¾¼ã•¾ã•ªã•?ã•?ã•¨ã??

Fine Tuning ã•§ç?¥è?ã??ã?¢ã??ã?«ã•«å??ã?•è¾¼ã??ã•®ã•§ã•¯ãªã••ã?•å??æ??ã?•æ??è??æ•?ã?•Factã?•Pivotã?•Meaning Space ã??å¤?é?¨æ§?é? ã•¨ã•?ã•¦ä¿•æ?•ã•?ã??ã??

ã•¤ã•¾ã??ã?•

```
LLM = å®?è¡?ã?¨ã?³ã?¸ã?³
Context = æ?•å?³å½¢æ?•ã•®å ´
Fact = æ©?æ¢°å?¦ç•?å•¯è?½ã•ªç?¥è?å•?ä½•
Pivot = è¦?ç?¹å¤?æ•?ã?»æ?¢ç´¢è£?ç½®
PRE = ä»®èª¬ç??æ?•ã?»æ?¨è«?è¨?ç?»
```

ã•«ã•ªã??ã??

default watermark

ZIKUU ã•®ç«?å´ã??ä¸?è¨?ã•§è¨?ã•?ã•ªã??ã?•

Meaning is in the Context

ã•«è¿?ã•?ã??

---

1. Anthropic: ã?¢ã??ã?«å¤?é?¨ã•®å®?è¡?æ§?é? ã•¸

Anthropic ã•®æ?¹å•?ã•¯ã?å·¨å¤§ã?¢ã??ã?«å•?ä½?ã•¸ã•®æ??å¾ ã•?ã??ã?•Agent Scaffold ã•¸ã•®ç§»è¡?ã•¨ã•?ã•¦ç•?è§£ã•§ã••ã??ã??

```
User Request
â??
Planner
â??
Tool Use
â??
Memory
â??
Verifier
â??
LLM
â??
Answer / Action
```

ã•?ã•?ã•§ã•¯ã?LLMã•¯å?ä½?ã•§å ¨ç?¥å ¨è?½ã•®å?å?¨ã•§ã•¯ãªã•?ã??
LLMã•¯ã?ã??ã?¼ã?«ã??å?¼ã•³å?ºã•?ã?•è¨?ç?»ã??ç«?ã•¦ã?•çµ•æ??ã??æ¤?è¨¼ã•?ã?? Harness ã•®ä¸•ã•§å??ã••ã??

ã•?ã??ã•¯æ??è¡?ç??ã«ã•¯å¥å ¨ãªæ?¹å•?ã•§ã?•æ??ã•®å¤§è¦•æ¨¡ã?·ã?¹ã??ã? ã•§è¨?ã•?ã•°ã?•

æ¥å??ã?ã?¸ ã??ã?¯ã??ã?¨ã?³ã?¸ ã?³ã•?ã??å¤?ã•«å?ºã•?

ç?ºæ?³ã•«è¿?ã•?ã??

ç¡¬ã•?ã?³ã?¢ã??ä½?ã??ã?•ã••ã•®å¤?å•´ã•«æ??ã??ã•?ã•?å?¦ç•?ã??ã?«ã?¼ã?«ã??å·®ã•?è¾¼ã??ã??ã?¯ã?¼ã?¯ã??ã?ã?¼ã?¨ã?³ã?¸ã?³ã?«ã?¼ã?«ã?¨ã?³ã?¸ã?³ã?•å??æ?£å?¦ç•?å?ºç?¤ã•¨å•?ã•?æµ•ã??ã•«è¦?ã•?ã??ã??

2. ZIKUU: LLMã??ã??å?•ã•«æ??è??æ§?é? ã??ä½?ã??

ZIKUU ã•®ç?¹å¾´ã•¯ã?Anthropic ã??ã??ã•?ã??ã•«æ??å?•ã•®å±¤ã??è¦?ã•¦ã•?ã??ã?•ã•¨ã??

Anthropic ã•?ä¸»ã•«ã?•

ã•©ã•?å®?è¡?ã•?ã??ã•?

ã??æ?±ã•£ã•¦ã•?ã??ã•¨ã•?ã??ã•°ã?•ZIKUU ã•¯ã?

ä½?ã??æ?•å?³ã•¨ã•?ã•¦æ?±ã•?ã•?

ã??æ?±ã•?ã•?ã•¨ã•?ã•¦ã•?ã??ã??

ã••ã•®ã•?ã?•ã•« **Context Pipeline Server** ã•?ã•?ã??ã??

```
Archive
â??
Segment
â??
Context Bundle
â??
Fact
â??
Pivot
â??
PRE
â??
AIå¡¾é?·
```

ã•?ã•?ã•§ **Context Bundle** ã•¯é?è¦•ã••ä¸é??è¡¨ç•¾ã•«ã••ã??ã??

å¾?æ•¥ã•®RAGã•¯ã?

```
å??æ??
â??
Embedding
â??
æ¤?ç´¢
â??
LLM
```

ã•§æ¸?ã•¾ã•?ã??ã??

default watermark

ZIKUUã•¯ã•ã•?ã??ã?•

å??æ??
â??
æ??è??æ•?
â??
Fact
â??
Pivot
â??
Meaning Space

ã•«å??è§£ã•?ã??ã??

ã•?ã??ã•¯å?ã•ªã??RAGã•§ã•¯ãªã••ã?•**ç?¥è?ã?³ã?³ã??ã?¤ã?«**ã•«è¿?ã•?ã??

---

3. ã?³ã?³ã??ã?¤ã?©ã•¨ã•?ã•¦è¦?ã??

default watermark

ZIKUU ã•®æ§?é? ã•¯ã?ã?³ã?³ã??ã?¤ã?©ã•«ä¼¼ã•¦ã•?ã??ã??

å??æ??
= Source Code

Context Bundle
= High-level IR / Pseudo Code

Fact
= Low-level IR

Pivot
= Optimization / View Transformation

PRE
= Query Planner / Execution Planner

LLM
= Runtime / Code Generator

ã•?ã•®æ§?é? ã•®å?©ç?¹ã•¯ã?LLMã??äº¤æ•?ã•§ã••ã??ã•?ã•¨ã??

Claude ã•§ã??ã?•GPT ã•§ã??ã?•Qwen ã•§ã??ã?•gpt-oss ã•§ã??ã?•Zamba ã•§ã??ã??ã•?ã??
ã?¢ã??ã?«ã•?å¤?ã?•ã•£ã•¦ã??ã?•æ??è??æ•?ã?•Factã?•Pivotã?•Archive ã•¯æ®?ã??ã??

ã•?ã??ã•¯Fine Tuningã¨å¯¾ç §ç??ã??

Fine Tuningã•¯ç?¥è?ã??ã?¢ã??ã?«ã«ç?¼ã••è¾¼ã??ã•?ã?•ã?•ã??ã?¼ã?¹ã?¢ã??ã?«ã•?å¤?ã?•ã??ã•¨å?•å¦ç¿?ã•?å¿ è¦•ã•«ã•ªã??ã??
ZIKUUã•§ã•¯ã?ç?¥è?è³?ç?£ã•¯å¤?é?¨ã«ã•?ã??ã?•ã?¢ã??ã?«ã•¯äº¤æ?å•¯è?½ãªã?¨ã?³ã?¸ã?³ã•«ç??ã•¾ã??ã??

---

4. æ¤?è¨¼å•¯è?½æ?§ã®é•?ã•?

Alæ??ä»£ã•®å¤§ã••ã•ªå?•é¡?ã•¯ã?ç??æ?•è?½å??ã•§ã•¯ãªã••æ¤?è¨¼è?½å??ã•«ã•ªã??ã??

Alã•?å·¨å¤§ã•ªã?³ã?¼ã??ã??æ?¸ã•?ã??ã•¨ã•?ã•¦ã??ã?•

èª°ã•?æ¤?è¨¼ã•?ã??ã•®ã•?
ä½?ã??å®?ã??ã•®ã•?
ã•©ã•?ã•§å£?ã??ã??ã•®ã•?
èª°ã•?è²¬ä»»ã??è² ã•?ã•®ã•?

ã•?æ®?ã??ã??

Anthropic ã•® Harness ã•¯ã?ã•?ã•®å?•é¡?ã•«å¯¾ã?ã•¦ Planner ã?? Verifier ã??å°?å ¥ã•?ã??æ?¹å•?ã•«è¦?ã•?ã??ã??

ZIKUU ã•¯ã?ã??ã•«ã?•æ§?é? ã••ã•®ã??ã•®ã??å±?æ??æ¤?è¨¼å•¯è?½ã•«ã•?ã??ã•?ã•¨ã•?ã•¦ã•?ã??ã??

default watermark

```
Nerve
= Event ã•?æ£ã•?ã••æµ•ã??ã??ã•?

Context Pipeline
= Context Bundle ã•?å¦¥å½?ã•«å½¢æ?•ã•?ã??ã??ã•?

Fact
= æ©?æ¢°å?¦ç•?å•¯è?½ã•ªç?¥è?å•?ä½•ã•¨ã•?ã•¦ä¿•å?ã•?ã??ã??ã•?

Pivot
= è¦?ç?¹å¤?æ•?ã•¨æ?¢ç´¢ã•?æ?•ç«?ã•?ã??ã•?

PRE
= ä»®èª¬ç??æ?•ã•¨æ?¨è«?çµ?è·¯ã•?è¿½è·¡å•¯è?½ã•?
```

å·¨å¤§ãªä¸?æ??å²©ã??ä½?ã??ã•®ã•§ã•¯ãªã••ã?•æ¤?è¨¼å•¯è?½ãªç²?åº¦ã•«å??ã•?ã??ã??

ã•?ã•?ã•¯ZIKUUã®è¨è¨?æ?•æ?³ã•¨ã•?ã•¦ã•?ãªã??é?•è¦•ã??

---

5. ä¸•ç¢ºå®?æ?§ã•®æ?±ã•?

LLMã•¯ç¢ºç??ç??ã§ã•?ã??ã??
ç•¾å®?ã•®ã?·ã?¹ã??ã? ã•§ã•¯ã?ã?µã?¤ã?³ã?ã??æ?¯ã??ã??ã?ã•ªå?¤æ?ã•¯å±é?ºã•«ã•ªã??ã??

ã••ã•®ã•?ã?•ã?•ZIKUUã•§ã•¯ã?

```
Fact
Hypothesis
Judgement
Action
```

ã??å??ã•?ã??ã??

äº?å®?ã•¨ä»®èª¬ã??æ··ã•?ã•ªã•?ã??
LLMã•«ã•?ã•¹ã•¦ã??æ±ºã?•ã•?ã•?ã•ªã•?ã??
ã•©ã•?ã•§æ?¨æ¸¬ã•?ã•?ã•®ã•?ã??æ®?ã•?ã??

ã•?ã??ã•¯AIã??ã??æ£è§£ç??æ?•æ©?ã?•ã•¨ã•?ã•¦ä½¿ã•?ã•®ã•§ã•¯ãªã••ã?•**ä¸•ç¢ºå®?æ?§ã??æ?±ã•?é•?å·ã•¨ã•?ã•¦ä½¿ã•?è¨¨è¨?ã•«ã•ªã??ã??**

---

6. ã?•ã?¼ã??ã?¦ã?§ã?¢è¦³ã•®é•?ã•?

Anthropicç??ã•ªæ?¹å•?ã•§ã•¯ã?•å··å¤§ã?¢ã??ã?«ã?•ã?¯ã?©ã?¦ã??AIã?•å¤§è¦•æ¨¡æ?¨è«?å?ºç?¤ã•?ä¸-å¿?ã•«ã•ªã??ã??

ZIKUUã•§ã•¯ã?•

AI NAS
Jetson Orin Nano
Strix Halo
DGX Spark
RTX Spark cluster

default watermark

ã•®ã??ã•?ã•ªã?•ã?ã?¼ã?«ã?«ã•§é•?ç?¨å•¯è?½ãªå°•å??ã??ã?¼ã??ã•«é?¢å¿?ã•?å•?ã••ã??

ç•?ç?±ã•¯å?ç´?ã•§ã?•ZIKUUã•«ã•¨ã•£ã•¦é?•è¦•ã•ªã•®ã•¯æ??é«?æ?§è?½ãªã•¯ãªã••ã?•

è?ªå??ã•§å??ã•?ã•?ã??
æ¢ã•¾ã•£ã•¦ã??å¾©æ?§ã•§ã••ã??
ã?•ã??ã?¯ã?¢ã??ã??ã•§ã••ã??
å¢?æ®?ã•§ã••ã??
äº¤æ•?ã•§ã••ã??

ã•?ã•¨ã• ã•?ã??ã??

ZIKUU Mini ã•®æ?¹å•?ã•¯ã?•

Observation Node
â??
Context Node
â??
Meaning Node

ã•¨ã•?ã•?æ??è??ã?•ã??ã??ã?¯ã?¼ã?¯ã«è¿?ã•?ã??

å·¨å§ãªã?¯ã?©ã?¦ã??AIãŠã•¯ãªã••ã?•å°•ã•?ã•ªç?¥è?å·¥å ´ã•®ã?¯ã?©ã?¹ã?¿ã?¼ã??

---

7. æ??è¡?æ?•æ?³ã•®æ¯?è¼?è¡¨

è¦³ç?¹	Anthropic	ZIKUU
ä¸å¿?æ¦?å¿µ	Agent Harness / Scaffold	Context / Meaning Space

è¦³ç?¹	Anthropic	ZIKUU
LLMã•®ä½•ç½®	Harnesså? ã•®ä¸»è¦• æ?¨è«?ã?¨ã?³ã?¸ã?³	äº¤æ•?å•¯è?½ãªå?¦ç• ?ã?¨ã?³ã?¸ã?³
ç?¥è?½ã•®æ??å?¨	Harnessã•«å??æ?£	æ??è??æ§?é? ã•«å®¿ã??
ä¸»ã•ªé?¢å¿?	ã?¿ã?¹ã?¯å®?è¡?è?½å??	æ?•å?³å½¢æ?•ã?»å?¤æ?æ?¯æ• ´
ç?¥è?ã•®æ?±ã•?	Memory / Tool / Context Window	Archive / Context Bundle / Fact / Pivot
æ¤?è¨¼	Verifier / Scaffold	å±?æ??æ¤?è¨¼å•¯è?½ãª æ§?é?
FT	æ?§è?½ã?»æ?¯ã??è??ãª?æ?¹å??ã •«ä½¿ã•?å•¯è?½æ?§	ç?¥è?ã•«ã•¯ä½¿ã?ªã•ª ?ã??ä½¿ã•£ã•¦ã??å•£èª¿ã•¾ã•§
ã?• ã?¼ã??ã?¦ã?§ã?¢	ã?¯ã?©ã?¦ã??AIã?»å¤§è¦ æ¨¡æ?¨è«?	ã?ã?¼ã?«ã?«AI NASã?»å°• å??ã?¯ã?©ã?¹ã?¿
æ??çµ?ç?®ç??	é«?æ?§è?½Agent	æ??è??ã??ç¶?æ?¿ã• ?ã??è¨?ç®?å?ºç?¤

default watermark

8. çµ•è«?

Anthropic ã•®æ?¹å•?ã•¯ã?

```
Intelligence is in the Harness
```

ã•§ã•?ã??ã??

ã•?ã??ã•¯ã?LLMå•?ä½?ã•§ã•¯ãªã••ã?•ã??ã?¼ã?«ã?•è¨?æ?¶ã?•è¨?ç»?ã?•æ¤?è¨¼ã??å• «ã??å®?è¡?æ§?é? ã•«ç?¥è?½ã??å??æ?£ã•?ã•?ã??ã•¨ã•?ã•?æ?•å?³ã•§ã?•é•?å¸¸ã•«å•?ç•?ç??ãªæ?¹å• ?ã•«è¦?ã•?ã??ã??

ä¸?æ?¹ã?•ZIKUU ã•®æ?¹å•?ã•¯ã?

```
Meaning is in the Context
```

ã•§ã•?ã??ã??

ZIKUU ã•¯ã?LLMã??ä¸å¿?ã•«ã•?ã•?Agentã•§ã•¯ãªã••ã?•Eventã•?ã??Contextã??ä½?ã??ã?•Pivotã• «ã??ã•£ã•¦è?ç?¹ã??å¤?ã•?ã?•Meaning Spaceã??å½¢æ?•ã•?ã??ã?? LLMã•¯ã•ã•®ä¸?ã•§å?•ã••ã?¨ã?³ã?¸ã?³ã•«ã•?ã•?ãªã•?ã??

ã• ã•?ã??ZIKUUã•?ä½?ã?•ã•?ã•¨ã•?ã•¦ã•?ã??ã??ã•®ã•¯ã?å•?ãªã??AIã?¢ã??ã?ªã•§ã•¯ãªã•?ã??

```
Contextual Computing Platform
```

ã•§ã•?ã??ã??

ã••ã??ã•¯ã?Alã•«ç?ã•?ã??å?ºã•?ã•?ã??ä»?çµ?ã•¿ã•§ã•¯ãªã••ã?•
äººé??ã•?ä¸•ç¢ºå®?æ?§ã•®ä¸ã•§è¦³å¯?ã?ã?•æ?•å?³ã??å½¢æ?•ã•?ã?•å?¤æ?ã•?ã?•è¡?å??ã•?ã??ã•
?ã?•ã•®å?ºç?¤ã•§ã•?ã??ã??

äººç??ã•¯ä¸•ç¢ºå®?æ?§ã•®ä¸ã•§ã•®å?¤æ?ã??æ±ºæ?ã??æ±?ã?•ã??ã??ã??ã??
ã• ã•?ã??ã?•äººã•?ä½¿ã•?ã?·ã?¹ã??ã? ã•¯ã?ä¸•ç¢ºå®?æ?§ã??æ?±ã•?ã•ªã•?ã??ã•°ã•ªã??ã•ªã•?ã??

ZIKUUã•®ã?·ã?¹ã??ã? ã•¯æ??æ??ã®ã?•ã??ã?¯ã?¢ã??ã??è£ ç½®ã§ã•?ã??ã??
ã••ã??ã•¯å?èµ·å??ã•?ã•§ã••ã??ä»?çµ?ã•¿ã•§ã•ªã•?ã??ã•°ã•ªã??ã•ªã•?ã??
å?•èµ·å??ã??å®¹æ??ã•«ã•?ã??ã•?ã?•ã•«ã•¯ã?ç?¥è?ã??ã?¢ã??ã?«ã•«ç?¼ã••è¾¼ã??ã•§ã•¯ãªã??ã•ªã
•?ã•?ã?•ç?¹å®?ã•®ã?¢ã??ã?«ã•«ä¾•å?ã•?ã•¦ã•¯ã?ã•?ã•ªã•?ã??

ä»?ã•®ã•¨ã•?ã?•ã?•ZIKUUã•®ã?·ã?¹ã??ã? ã•¯ã?VRAM 16GBã•®GPUã•¨é?•å•å??ã•?ã??ã•?gpt-
oss:20bã•§å••å??ã•«å®?ç?¨ç??ã•ªæ?§è?½ã•?å¾?ã??ã??ã•¦ã•?ã??ã??ã•¤ã•¾ã??ã?•ã•?ã•®ã•¾ã•
¾é??ç?ºã•?æ?¨ç§»ã•?ã•¦ã?•ã•?ã•®å?¶ç´?ã•®ä¸ã•§å••å??ã•«å®?ç?¨ã•«ã•ªã??ã•ªã??ã?•å??äººã??å°•ã•
?ã•ªçµ?ç¹?ã•?å°?å ¥ã•?ã??ã•?ã•?ã?·ã?¹ã??ã? ã•«ã•ªã??å•¯è?½æ?§ã?ã•?ã??ã??

default watermark

Category

1. æ?¥ã? ã•®æ´»å??

Tags

1. AI
2. ä¸?é??å??å¸?
3. å±±æ¢¨ç??

Date Created
2026å¹´6æ??22æ?¥
Author
kazuo-tsubaki