




Repository Explorer は Observability を活用した、AI 駆動の検索エンジンです。

Description

Repository Explorer は、Observability を活用した、AI 駆動の検索エンジンです。このツールは、さまざまなリポジトリからデータを収集し、それを AI モデルを使用して分析します。これにより、ユーザーは、特定の質問に対して、関連するデータを迅速に検索し、その結果を確認することができます。Repository Explorer は、Observability の強力なツールであり、ユーザーが、システムの状態を把握し、問題を迅速に解決するのに役立ちます。

Repository Explorer は、Observability を活用した、AI 駆動の検索エンジンです。このツールは、さまざまなリポジトリからデータを収集し、それを AI モデルを使用して分析します。これにより、ユーザーは、特定の質問に対して、関連するデータを迅速に検索し、その結果を確認することができます。Repository Explorer は、Observability の強力なツールであり、ユーザーが、システムの状態を把握し、問題を迅速に解決するのに役立ちます。



id	symbol	repository	locator	line
7221	run	vision-broker	backend/app/queue_manager.py	
7222	describe_image	vision-broker	backend/app/runners/mock_vision.py	
7223	_get_env_int	vision-broker	backend/app/runners/qwen_vl.py	
7224	_get_env_bool	vision-broker	backend/app/runners/qwen_vl.py	
7225	_get_torch_dtype	vision-broker	backend/app/runners/qwen_vl.py	
7226	_release_loaded_model	vision-broker	backend/app/runners/qwen_vl.py	
7227	_resize_image_if_needed	vision-broker	backend/app/runners/qwen_vl.py	
7228	_decode_image	vision-broker	backend/app/runners/qwen_vl.py	
7229	_load_model	vision-broker	backend/app/runners/qwen_vl.py	
7230	_build_messages	vision-broker	backend/app/runners/qwen_vl.py	
7231	describe_image	vision-broker	backend/app/runners/qwen_vl.py	
7232	release_model	vision-broker	backend/app/runners/qwen_vl.py	
7233	_get_env_int	vision-broker	backend/app/runners/sd_image.py	
7234	_get_env_optional_int	vision-broker	backend/app/runners/sd_image.py	
7235	_get_env_float	vision-broker	backend/app/runners/sd_image.py	
7236	_get_env_bool	vision-broker	backend/app/runners/sd_image.py	
7237	_get_torch_dtype	vision-broker	backend/app/runners/sd_image.py	
7238	_release_loaded_pipeline	vision-broker	backend/app/runners/sd_image.py	
7239	release_model	vision-broker	backend/app/runners/sd_image.py	
7240	_validate_size	vision-broker	backend/app/runners/sd_image.py	
7241	_load_pipeline	vision-broker	backend/app/runners/sd_image.py	
7242	_encode_png_b64	vision-broker	backend/app/runners/sd_image.py	

èà¿æ?»ã•«ã¬ã?


- ã?•ã?³ã??ã??ã?¬ã?¹ã®æ?ç´¤
- ã?ªã?•ã?,ã??ã?ªã? ã??ã?jã?•ã?»ã•®èªã•¿è¾¼ã•¿
- ä»®èª¬ã•®ç??æ?•

ã??ç¹ã??è¿?ã•ã?jã?•ã?ã??ã?ªæ¹æ? ã?•é??ã?¾ã•£ã?•æ??ç?¹ã•§èª¿æ?»ã??çµ?äº?ã?ã?jã??ç-
?ã??ã½?æ?•ã?ã??ã?»?çµ?ã•¿ã•§ã?ã??


ã?ã??ã?•èª¿æ?»ã??è¬ã??

- ä½?ã??æ?ç´¤ã?ã??ã?
- æ¹æ? ã¬ã?ã?jã?•ã??ã?

ãªã•©ã¬LLMã«ã??ã??ã?ã?¾ã?ã??



Observabilityã•ã?èªæ?»å??è¬ã®ä,ã•«ã»?è¼¼¼ã??ã•sã•?ã•ã?èªæ?»ã•®ã??ã?-ã?¼ã?¹ã•?ã•?å?
å®¹ã??è!ã??ã•?ã•ã•?ã•sã•ã•¼ã•?ã??



ã??ã?-ã?¼ã?¹å? å®¹ã•®ä¾ã?ã•\$ã•?ã??

Target: pivot-service
Query: Gateway
locate Gateway implementation in pivot-service
Found 477 search result(s) in pivot-service for query: Gateway

Findings
pivot-service:.env.example:20: GATEWAY_BEARER_TOKEN=pivotgw
pivot-service:doc/CP_PIVOT_FACTROW_MAINTENANCE_01.md:38: â??
GatewayAdminTab
pivot-service:doc/CP_PIVOT_FACTROW_MAINTENANCE_02.md:60: â??

GatewayAdminTab

pivot-service:doc/CP_PIVOT_MULTI_VALUE_MEASURE_01.md:663: â?? Admin Fact / Mapping / Gateway tabs

pivot-service:doc/MOD_BEDORE_PRE.md:654: Pivot Gateway / Pivot Ingest

pivot-service:doc/PIVOT_GATEWAY_DESIGN_v0.1.md:1: # Pivot Gateway
 è"æ?, v0.1

pivot-service:doc/PIVOT_GATEWAY_DESIGN_v0.1.md:5: Pivot Gateway ã·ã·
 å²é?·ã·ã·¹ã??ã· ã·ã·?é?·ã??ã??ã?? Ingest ä??ã·¼ã·¿ã??å·?ã·?å·?ã??ã·?·å·?ä¿å·
 °å·³ã·é·é?·¿?¶æ ?ã??å¿·æ?·ã·?ã·ªã·?ã??ã·?·Pivot Service ä·«å®®?å· ¨ã·?ã·ªå®®?å®®?ã·?ã·|é
 ·é?·ã·?ã·?å·, é§·ã·³ã·³ã·ã·¼ã·?·ã·³ã·?ã·§ã·?ã·?ã·?Gateway è?ªè°«ã· LLM æ?½å·°ã·?
 canonicalization ä??è¿ã·?ã·?ã·?å· ¥ã·?ã·®å·?¿?ã·?·è»½ã·?æ?·å·¼¿ã·?ã·-
 ä·¥ã·¼ã·ªã·³ã·°ã·?å·é?·ã·?å·±æ??¿®¿¿·?ã·?¿?¶æ ?å·è¿?å·?ã·«è²-å·?ã·?é?·å®®?ã·
 ?ã·?ã·?

pivot-service:doc/PIVOT_GATEWAY_DESIGN_v0.1.md:16: ### 2.1 Pivot Gateway

pivot-service:doc/PIVOT_GATEWAY_DESIGN_v0.1.md:18: Pivot Gateway ä•
_ä»¥ä. ?ã??æ? å½?ã?ã??ã??

pivot-service:doc/PIVOT_GATEWAY_DESIGN_v0.1.md:22: * Gateway Input Envelope $\tilde{a}$
 $\otimes \tilde{a}^? \in \tilde{e}^? \tilde{a}^{\frac{1}{2}} \tilde{c} \tilde{a}^{\frac{1}{4}} \tilde{a}^? ?$

pivot-service:doc/PIVOT_GATEWAY_DESIGN_v0.1.md:23; * gateway_requests &,©&
•?&x&i&a°&a³&x&a?

<

```

pivot-service:doc/PIVOT_GATEWAY_DESIGN_v0.1.md:24: * gateway_delivery_items
ã•ã®é•é?•ă?ă½•ç??æ?•

```

pivot-service:doc/PIVOT_GATEWAY_DESIGN_v0.1.md:30: ### 2.2 Pivot Gateway ã•
 ®è²¬å??å?

pivot-service:doc/PIVOT_GATEWAY_DESIGN_v0.1.md:45: Pivot Service å'ã ingest ã®ã
 •?ç?ã?•normalizeã?•æ?½å?°ã?•canonicalizationã?•FactRow ä¿•ã?ã?•Pivot / Detail æ••
 ä¾4ã?ã?è²-ã??ã"-ã?ã?ã?ã?é??ã?|ç?ã?ã?ã?é?"ã?ã?½ã?¿ã?ã?¾ã?ã"-è²-ã??ã?ã?ã?ã?
 ?ã??ã??Gateway ä-ã-ã-®æ??ã?•ã?é?•ã±ã-ã?ã?ã?æ©?è?½ã?ã?ã?ã??

pivot-service:doc/PIVOT_GATEWAY_DESIGN_v0.1.md:63: Gateway - CPU - I/O - Python -

pivot-service:doc/PIVOT_GATEWAY DESIGN v0.1.md:73: pivot-gateway

pivot-service:doc/PIVOT_GATEWAY_DESIGN_v0.1.md:80: Gateway - HTTP -
PostgreSQL - sender worker

pivot-service:doc/PIVOT GATEWAY DESIGN v0.1.md:91: Pivot Gateway

pivot-service:doc/PIVOT_GATEWAY_DESIGN_v0.1.md:106: admin_gateway.py

`pivot-service:doc/PIVOT_GATEWAY_DESIGN_v0.1.md:120: gateway request repo.py`

[pivot-service:doc/PIVOT_GATEWAY_DESIGN_v0.1.md:136: ## 5.1 Gateway Input Envelope](#)

pivot-service:doc/PIVOT_GATEWAY_DESIGN_v0.1.md:138: å?ä¿jà½¢å¼•ã Pivot
 Service ã® ingest request ã•ã®ã?ã•ã®ãšã¬ããã•ã•Gateway Input Envelope ã•ã•
 ?ã??ã??æ??ã½?å¿ é ?é ç?®ã¬æ¬jã®5ã•ãã??

```

pivot-service:doc/PIVOT_GATEWAY_DESIGN_v0.1.md:153: class
GatewayInputEnvelope(BaseModel):

```

pivot-service:doc/PIVOT GATEWAY DESIGN v0.1.md:163: Gateway $\tilde{\bullet}\tilde{\alpha}^{--}\tilde{?}\tilde{?}\tilde{e}\tilde{?}\tilde{1}\tilde{2}\tilde{\alpha}\tilde{?}$

transformã?•ã•ã?ã??è;?ã?ã•®ã•šã?•payloadã•®æ.±ã?•æ?•ã?³æ?è`¼ã-ã?ã•ã?ã??
pivot-service:doc/PIVOT_GATEWAY_DESIGN_v0.1.md:176: v0.2ã•®é?•è!•ç?¹ã•ã?ã!ã?•ã
?ã¿jã?ã½•ã•é•é?•ã?ã½•ã??ã??ã?ã??ã??Gateway Requestã•ã?ã¿jã?ã°ã³ã?•Delivery
Itemã•Pivot Serviceã«é?•ã??é•é?•ã?ã½•ã•šã?ã??ã??1 Requestã?ã??1ã??N
Deliveryã??ç??æ?•ã•šã•ã??æ§?é?ã«ã?ã?ã??
pivot-service:doc/PIVOT_GATEWAY_DESIGN_v0.1.md:181: gateway_request
pivot-service:doc/PIVOT_GATEWAY_DESIGN_v0.1.md:191: Gatewayã•SQLiteãšã-ãã
•Pivot Serviceã•ã?ã?PostgreSQLã??ã½¿ã?ã??ç?ç?±ã•durabilityã?é?ç?ã
?ç?ã??ã?•SQLèª¿æ?»ã?UIçµ±ã?ã•®ã?ã?ã?
pivot-service:doc/PIVOT_GATEWAY_DESIGN_v0.1.md:193: ## 7.1ã??ã?¼ã??ã?«:
gateway_requests
pivot-service:doc/PIVOT_GATEWAY_DESIGN_v0.1.md:199: * gateway_request_id PK
pivot-service:doc/PIVOT_GATEWAY_DESIGN_v0.1.md:212: * gateway_request_idã•
ULIDã?UUID
pivot-service:doc/PIVOT_GATEWAY_DESIGN_v0.1.md:220: ## 7.2ã??ã?¼ã??ã?«:
gateway_delivery_items
pivot-service:doc/PIVOT_GATEWAY_DESIGN_v0.1.md:227: * gateway_request_id FK
pivot-service:doc/PIVOT_GATEWAY_DESIGN_v0.1.md:255: * (gateway_request_id,
delivery_index) unique
pivot-service:doc/PIVOT_GATEWAY_DESIGN_v0.1.md:259: * FK: gateway_request_id
-> gateway_requests.gateway_request_id
pivot-service:doc/PIVOT_GATEWAY_DESIGN_v0.1.md:287: Body:
GatewayInputEnvelope
pivot-service:doc/PIVOT_GATEWAY_DESIGN_v0.1.md:298: â??gateway_request_idâ?:
â??gw_01Jâ?!â?•,
pivot-service:doc/PIVOT_GATEWAY_DESIGN_v0.1.md:315: 2. gateway_requests insert
pivot-service:doc/PIVOT_GATEWAY_DESIGN_v0.1.md:320:ã?ã?ã?šPivot Serviceã•ã
®é?•ã¿jã-ã?ã•ã?ã??ã•ã?ã??ã?æ??ã«ã?ã??ã•Gatewayã•®ã?ã?æ?•ç¾©ã
?ã¿©ã??ã??ã??
â?!
â?!
â?!
â?!
ã?ã?ã•é?•ã?ã•®ã•šã?ã?ã¾ã•š

ã¿?è?-ç??ã•ã??ã?¼ã??ã??æ?±ã?ã½¿?è©±ã•ã??ã?ã•ã??ã•ã??ã•«è³çã•ã?ã«ã??ç?ã?ã??LLMã•
ã¿ã¿?è?-ç??ã•šã-ããã?çµ?ç¹ã??ã??ã°ã«ã?æ??ã•®æ?ã±ã«ã¾ã?ã!ã-ã?æ?ã±ã?ã¿ã•
ã??ã•ã•ç??ã¿šã«ã•šã£ã¿ã?ã¾ã?ã??

LLMã•®ã¿è°«ã¾ã•šã-è!ã?ã¾ã?ã??ã?ã?ã°ã?ã?ã?ã?ç?ã•®ã?ã?šã?¼ã³ã??ã®è;?ã?ã?ã!ã?
ã??ã?ã•®ã?ç?ã•®çµ•æ??ã??ã¿jã¹ã!ã?ã?ã°ã?•LLMã•®æ?-ã??è??ã?ã??è!ã??ã?ã•ã?ã•šã•ã
¾ã?ã??

Category

- æ?¥ã?ã•®æ'»ã??

Tags

-
1. AI
 2. LLM
 3. Observability
 4. Repository Explorer
 5. ä,?é??å??å,?
 6. å±±æ€“ç??

Date Created
2026å¹´9æ??6æ?¥

Author
kazuo-tsubaki

default watermark