


Knowledge Navigation â?? é•?ã•?ã??

Description

default watermark

æ?³å®?è³ªå?•ã??ä½?ã??ã?•ã?¢ã??ã?¯ã®æ?¢ç´¢æ©?è?½ã??å ¥ã??ã•¦ã?•ä½?åº¦ã??æ?³å®?è³ªå?•ã??æ??ã•?ã•¦å?•é¡?ç?¹ã??æ´?ã•?å?ºã•?ã•¦ã•?ã•¾ã•?ã??
ä¸?ã•®ã?¹ã?¯ã?ªã?¼ã?³ã?·ã?§ã??ã??ã¯æ?³å®?è³ªå?ã•®ä¸?è¦§ã•§ã•?ã??

Policyã•?æ?¢ç´¢ã?•ã?ªã?·ã?¼ã•§ã?•NAVIGATION.mdã•«æ?¸ã•?ã??ã•¦ã•?ã•¾ã•?ã??
Codex ã•«ã•?ã•?ã?? AGENTS.mdã?•Claude Codeã•«ã•?ã•?ã?? CLAUDE.mdã•¿ã•?ã•?ã•ªã??ã•®ã•§ã•?ã??

directã?•ã?ªã?·ã?¼ã•ªã??ã•?ã??ã•ªæ??æ?¸ã•§ã•?ã??

```
# ã??ã??ã?²ã?¼ã?·ã?§ã?³æ?¹é?• â?? Direct

## ç?®ç??

ç•¾å?¨ã•®ç?®ç??ã??é•?æ?•ã•?ã??ã•?ã?•ã•«å¿?è¦•ã•ªã?•æ??å°•é?•ã•®ä¿¡é ¼ã•§ã••
ã??æ??å ±ã??è¦?ã•¤ã•?ã??ã??

## æ?¢ç´¢æ?¹é?•

- å?©ç?¨å•¯è?½ã•ªå•?ç?§ã•®ã•?ã•¡ã?•æ??ã??æ??æ??ã•ªã??ã•®ã•?ã??èª¿ã•¹ã??ã??
- é??æ?¥ç??ã•ªæ??ã•?ã•?ã??ã??ã??ã?•ç?´æ?¥ç??ã•ªæ ¹æ? ã??å?ªå??ã•?ã??ã??
- ç?®ç??ã•¨ç?¡é?¢ä¿?ã•ªè³?æ??ã??ã?•é?¢é?£ã•®è??ã•?è³?æ??ã•¯èª¿ã•¹ã•ªã•?ã??
- æ??å??ã??å®?è£?ã??ç•?è§£ã•?ã??å¿?è¦•ã•?ã•?ã??å ´å•?ã•¯ã?•
å??è³?æ??ã??èªã??ã??
- å•?ã•?ã?¢ã?¯ã?·ã?§ã?³ã??ç¹°ã??è¿?ã•?ã•?ã?•ã•?ã•§ã•«å¾?ã•?é?¢é?£ã•
?ã??è¦³æ¸¬çµ•æ??ã??ä½¿ã•?ã??

## æ ¹æ?

- è¦³æ¸¬ã•§ç¢ºèªã•?ã•?ã?ºå®?ã•¨æ?¨æ¸¬ã??å?ºå?¥ã•?ã??ã??
- ä¸?æ¬¡è³?æ??ã??å?ªå??ã•?ã??ã??
- æ¤?ç´¢ã•§ã??ã??ã??ã•?ã•?ã• ã•?ã•§ã•¯ã?•æ??å??ã•®æ ¹æ? ã•¨ã•¿ã•ªã•?ã•ªã•
?ã??
```

- æ ¹æ? ã•?ä¸•å••å??ã•ªå ´å•?ã•¯ã?•ä¸•ç¢ºã•?ã•ªç?¹ã??æ??ç¤ºã•?ã??ã??

çµ?äº?æ•¡ä»¶

ç?®ç??ã??æº?ã•?ã•?ã•®ã•«å••å??ã•ªæ ¹æ? ã•?å¼?ã??ã??ã•?æ??ç?¹ã•§ã?•
æ?¢ç´¢ã??çµ?ã•?ã??ã??

å•?ã•«æ??å ±ã??å¢?ã??ã•?ã•?ã?•ã• ã•?ã•«èª¿æ?»ã??ç¶?ã•?ã•ªã•?ã??

å?¥æ??ã•§ã••ã??æ??å ±ã•§ã•¯ç?®ç??ã??æº?ã•?ã•?ã•ªã•?å ´å•?ã•¯ã?•ç?ã•
?ã??ä½?ã??ä¸?ã•?ã•?ã?•ç¢ºèª•ã•§ã••ã??ç¯?å?²ã•¨ã••ã•®é?•ç??ã??èª¬æ??ã•?ã??ã??

ã•?ã•®policyã•«å¾?ã•£ã•¦ã?•æ?¢ç´¢æ©?è?½ã•®å?¼ã•³å?ºã•?ã•¨LLMã•®å?¼ã•³å?ºã•?ã•?è¡?ã?•
ã??ã??ã•®ã•?ã?´ã?¼ã?«ã•§ã•?ã??

çµ•æ??ã•®è¦?æ?¹ã•§ã•?ã??

- How does event dispatching work? ã•®é?¨å??ã•?æ?³å®?è³ªå?•
- [1] â?¦ [n] ã•®é?¨å??ã•?ã??ã?¬ã?¼ã?¹æ? å ±ã•§ã?•ä½?ã??ã•?ã•?ã•?ã??è¨?é?²
- ç?ºè¦?äº?é ã•?ã?•èª¿æ?»ã•®çµ•æ??

default watermark

Knowledge Navigation 0.1.0
Policy: direct
ã??ã?¼ã?¿ã?½ã?¼ã?¹: Mock Adapter
å?©ç?¨å•¯è?½ã•ªã?³ã??ã?³ã??ã•¯/helpã•§ç¢ºèª•ã•§ã••ã•¾ã•?ã??

> How does event dispatching work?

æ?¢ç´¢Policy: direct
å?•æ??Reference: æ?ªè¨å®?ï¼?æ¤?ç´¢ã•?ã??é??å§?ï¼?

[1] search:{"query":"event dispatching"}
ã?¤ã??ã?³ã??ã??ã?£ã?¹ã??ã??ã?•ã•®ä»?çµ?ã•¿ã??èª¿ã•¹ã??ã•?ã?•ã•«æ¤?ç´¢ã•
?ã??
[2] search:{"query":"event dispatch"}
ã?¤ã??ã?³ã??ã??ã?£ã?¹ã??ã??ã?•ã•«é?¢ã•?ã??ã?ªã?½ã?¼ã?¹ã??æ?¢ã•?
ç?ºè¦?ã•?ã•
?Reference: src/events/dispatcher.py, docs/event-architecture.md, src/telemetr
[3] read:{"locator":"src/events/dispatcher.py"}
ã??ã?£ã?¹ã??ã??ã?•ã?£ã?¼ã•®å®?è£?ã??ç¢ºèª•ã•?ã??ã•?ã?•
[4] read:{"locator":"docs/event-architecture.md"}
ã?¤ã??ã?³ã??ã??ã?£ã?¹ã??ã??ã?•ã•®è©³ç´°ã??ç¢ºèª•ã•?ã??ã•?ã?•ã•
«ã??ã?ã?¥ã?¡ã?³ã??ã??èªã??
[5] read:{"locator":"src/telemetry/event_bridge.py"}
ã?¤ã??ã?³ã??ã??ã?ªã??ã?¸ã•®å®?è£?ã??ç¢ºèª•ã•?ã??ã•?ã?•
[6] complete
ã?¤ã??ã?³ã??ã??ã?£ã?¹ã??ã??ã?•ã•®ä»?çµ?ã•¿ã•¯ã?•dispatcherã•
?ã?¤ã??ã?³ã??ã??å•?ã•?å•?ã??ã?•ã?¤ã??ã?³ã??ã?¿ã?¤ã??ã•§ç?»é?²æ¸?ã•¿ã•
®ã?µã??ã?¹ã?¯ã?©ã?¤ã?•ã?¼ã??æ¤?ç´¢ã•?ã?•ç?»é?²é ?ã•«å•?æ??ç??ã•«ã?³ã?¼ã?«ã?•
ã??ã?¯ã??å?¼ã•³å?ºã•?ã??telemetryã??ã?ªã??ã?¸ã•
¯ä¸?é?¨ã?¤ã??ã?³ã??ã??å¤?é?¨è¦?æ¸¬ã•¸è»¢é?•ã•?ã?•å¤?é?¨ã•?å?•ã•
³ã?¤ã??ã?³ã??ã??ç??æ?•ã•?ã??ã??ã?£ã?¼ã??ã?•ã??ã?¯ã?«ã?¼ã??ã??å½¢æ?•ã•?ã??ã??

æ?¢ç´¢çµ•æ??: å®?äº?

ç?ºè¦?äº?é ?:
- **Events are delivered synchronously.**
- **Callbacks are invoked in registration order.**
- **Subscriber lookup is performed by event type.**
- **The dispatcher connects event producers with subscribers.**
- **The telemetry bridge forwards selected events outside the subsystem.**
- **Some events cross subsystem boundaries.**
- **The external observer can generate events that return to the local event s**
- **A potential feedback loop exists between the dispatcher and telemetry obse**

> Where are event handlers invoked?

æ?¢ç´¢Policy: direct
å?•æ??Reference: æ?ªè¨å®?ï¼?æ¤?ç´¢ã•?ã??é??å§?ï¼?

[1] search:{"query":"event handlers invoked"}
ã?¤ã??ã?³ã??ã?•ã?³ã??ã?©ã•?å?¼ã•³å?ºã•?ã??ã??å ´æ??ã??ç?¹å®?ã•?ã??ã•?ã?•
ã•«æ¤?ç´¢ã•?ã??
[2] search:{"query":"addEventListener"}
ã?¤ã??ã?³ã??ã?•ã?³ã??ã?©ã•?å?¼ã•³å?ºã•?ã??ã??å ´æ??ã??æ?¢ã•?ã•?ã?•ã?•
addEventListener ã??æ¤?ç´¢ã•?ã??
[3] search:{"query":"where event handlers invoked"}
ã?¤ã??ã?³ã??ã?•ã?³ã??ã?©ã•?å?¼ã•³å?ºã•?ã??ã??å ´æ??ã??ç?¹å®?ã•?ã??ã•?ã?•
ã•«æ¤?ç´¢ã•?ã??
[4] read:{"locator":"https://developer.mozilla.org/en-US/docs/Web/API/EventTar
addEventListener ã•®å®?è£?ã??ç¢ºèª•ã•?ã??ã•?ã?•ã•«èªã•¿è¾¼ã??

æ?¢ç´¢çµ•æ??: å?•è¨?ç?»ã•§ã??å®?è¡?æ¸?ã•¿ã?¢ã?¯ã?·ã?§ã?³ã•?é•¸ã•°ã??ã•?ã•?ã?•å•?æ¢

> How are event handlers registered and managed?

æ?¢ç´¢Policy: direct
å?•æ??Reference: æ?ªè¨å®?ï¼?æ¤?ç´¢ã•?ã??é??å§?ï¼?

[1] search:{"query":"event handlers registered"}
ã?¤ã??ã?³ã??ã?•ã?³ã??ã?©ã•®ç?»é?²æ?¹æ³?ã??èª¿ã•¹ã??ã•?ã?•
[2] search:{"query":"event handlers"}
ã?¤ã??ã?³ã??ã?•ã?³ã??ã?©ã•®ç?»é?²ã•¨ç®¡ç•?ã•«é?¢ã•?ã??æ??å ±ã??æ?¢ã•?ã•
?ã?•
[3] search:{"query":"event handlers registration"}
ã?¤ã??ã?³ã??ã?•ã?³ã??ã?©ã•®ç?»é?²æ?¹æ³?ã??èª¿ã•¹ã??ã•?ã?•ã?•é?¢é?£èª?ã•
§æ¤?ç´¢ã•?ã??
[4] search:{"query":"event handler register"}
ã?¤ã??ã?³ã??ã?•ã?³ã??ã?©ã•®ç?»é?²æ?¹æ³?ã??èª¿ã•¹ã??ã•?ã?•ã?•
æ¤?ç´¢ã?ã?¼ã?¯ã?¼ã??ã??çµ?ã?•ã??
[5] search:{"query":"event handler registration"}
é?¢é?£ã•?ã??ã?ªã?½ã?¼ã?¹ã??æ?¢ã•?ã•?ã?•ã•«æ¤?ç´¢ã??å®?è¡?

æ?¢ç´¢çµ•æ??: æ??å¤§ã?¹ã??ã??ã??æ?°ã•«å?°é•?

> How do events propagate between the dispatcher and telemetry bridge?

æ?¢ç´¢Policy: direct

default watermark

å?•æ??Reference: æ?ªè¨å®?ï¼?æ¤?ç´¢ã•?ã??é??å§?ï¼?

[1] search:{"query":"dispatcher telemetry bridge"}
dispatcher ã•¨ telemetry bridge ã•®ã?¤ã??ã?³ã??ä¼•æ•¬ã•«é?¢ã•
?ã??æ??å ±ã??æ?¢ã•?
ç?ºè¦?ã•?ã•
?Reference: docs/event-architecture.md, src/telemetry/event_bridge.py
[2] read:{"locator":"docs/event-architecture.md"}
ã?¤ã??ã?³ã??ã•®ä¼•æ•¬çµ?è·¯ã??ç¢ºèª•ã•?ã??ã•?ã?•ã•
«ã??ã?ã?¥ã?¡ã?³ã??ã??èªã??
ç?ºè¦?ã•?ã•?Reference: src/events/dispatcher.py
[3] read:{"locator":"src/events/dispatcher.py"}
dispatcherã•®å®?è£?ã??ç¢ºèª•ã•?ã??ã•?ã?•
[4] read:{"locator":"src/telemetry/event_bridge.py"}
event_bridge ã•®å®?è£?ã??ç¢ºèª•ã•?ã??ã•?ã?•
[5] search:{"query":"dispatch"}
ã?¤ã??ã?³ã??ã•?dispatcherã•¨telemetry bridgeé??ã•§ã•©ã•®ã??ã•?ã•«ä¼•æ•¬ã
•?ã??ã•?ã??ç¢ºèª•ã•?ã??ã•?ã?•ã?•dispatchã•¨ã•?ã•?ã?¼ã?¯ã?¼ã??ã•§æ¤?ç´¢ã•
?ã??

æ?¢ç´¢çµ•æ??: æ??å¤§ã?¹ã??ã??ã??æ?°ã•«å?°é•?

ç?ºè¦?äº?é ?:
- **The dispatcher connects event producers with subscribers.**
- **The telemetry bridge forwards selected events outside the subsystem.**
- **Events are delivered synchronously.**
- **Callbacks are invoked in registration order.**
- **Subscriber lookup is performed by event type.**
- **Some events cross subsystem boundaries.**
- **The external observer can generate events that return to the local event s**
- **A potential feedback loop exists between the dispatcher and telemetry obse**

>

å•?ã•?èª¿æ?»æ©?è?½ã•?å?•å°¦å?¼ã•³å?ºã•?ã??ã•?å´å•?ã??ã?•èª¿æ?»ã?¹ã??ã??ã??ã•?å¤?ã•?ã•?ã•
?å´å•?ã•«ã•¯èª¿æ?»ã??å?æ¢ã??
ã•?ã??ã•¯è³ªå?ã??å¤?ã•?ã•¦ã•ã•¨ã•?ã•?ã?µã?¤ã?³ã•«ã??ã•ªã??ã•¾ã•?ã??

ã??ã?¹ã??ã•«ä½¿ã•£ã•?ã?¢ã??ã?¯ã?¢ã??ã??ã?¿ã?¼ãƒ¯searchãƒ¨readã•®æ©?è?½ã•?ã•?ã??ã•¾ã•?ã•
?ã?•Repository Explorerã•ªã??ã•°ã?•Giteaã?ªã?•ã?¸ã??ã?ªã•«å¯¾ã?ã•¦ã?•search / read / history ã•ª ã•
©ã•®æ©?è?½ã??æ?•ã•¤ã•?ã•¨ã•«ã•ªã??ã•?ã?•Pivot Reasoning Engineã•ªã??ã•°ã?•Pivot Serviceã•
«å¯¾ã?ã•¦ã?•dimensionã??å??ã??æ?¿ã•?ã•ªã•?ã??æ?•å?³ç©ºé??ã•®æ?é•¢ã??å??ã??å•
?ã??æ©?è?½ã??æ?•ã•¤ã•?ã•¨ã•«ã•ªã??ã•¾ã•?ã??

ä»?å??ã•¯ã?10ã•¤ã•®æ?³å®?è³ªå?•ã??3ã•¤ã•®policyã•§æ??ã•?ã•¦ã?•èª¿æ?»çµ•æ??ã??å??æ?•ã•?ã?
•æ?³å®?å¤?ã•®å??ã••ã??ã?¨ã?©ã?¼ã•?ã•?ã•£ã•?å´å•?ã•¯ã??ã?ã?°ã?©ã? ã??èª¿æ?´ã?ã•¦ã?•å•?ã•
?ã??ã?¹ã??ã??å?•å®?è¡?ã??ä¸?å??ã•®ã??ã?¹ã??ã•«10å??ã••ã??ã•?ã•?ã•?ã??ã•¾ã•?ã??

ã••ã??ã??å»¶ã? ã•¨ç¹°ã??è¿?ã•?ã•¦ã?•ã?¨ã?©ã?¼è?•æ?§ã??è°«ã•«ã•¤ã•?ã??ã??ã•?ã•ªã?•ã•¨ã•?ã•
?ã•¨ã•?ã?•ã•§å°•ä¼?æ¢ã??

default watermark

æ?¢ç´¢æ©?è?½ã•?æ?¢ç´¢ã?•ã?ªã?·ã?¼ã•«å¾?ã•£ã•¦å?¼ã•³å?ºã•?ã??ã•¦ã?•èª¿æ?»ã•®ã?´ã?¼ã?«ã??ç?®æ??ã•?ã•¦å??ã••ã•?ã•¨ã•?ç¢ºèª•ã•§ã••ã??ã•¾ã•§ã?•æ•¡ä»¶ã??å¤?ã•?ã•ªã•?ã??ã•?ã•¤ã•?ã••æ¤?è¨¼ã??ã•?ã•¾ã•?ã??

é•?å?»ã•«å®?è£ ã•?ã•?Repository Explorerã•¨Pivot Reasoning Engineã•¯æ¨ã•¦ã•¦ã?•ã?¢ã?¼ã?-ã??ã?¯ã?ªã?£ã?¼ã??è¦?ç?´ã•?ã•¾ã•?ã•?ã??

[1] **Repository Explorer** / **Pivot Reasoning Engine** / AIå¡¾é?· / etc.ï¼?ã??ã?ã?³ã??ã?¨ã?³ã??ï¼?
â??
[2] **Intention Resolver**ï¼?ã?¦ã?¼ã?¶ã?¼ã•®æ?•å?³ã??æ?½å?ºï¼?
â??
[3] Knowlege Navigationï¼?ç?¥è?ã•®æ?¢ç´¢ï¼?
â??
[4] Repository Explorer Adaptor / Pivot Adaptor / etc.ï¼?Knowledge Zoneï¼?
â??
[5] **Data Access Server**ï¼?Gitea ã?ªã?•ã?¸ã??ã?ªã?¢ã?¯ã?»ã?¹ï¼? /**Pivot Service** (æ?•å?³ç©ºé??) / Qdrantï¼?ã??ã?¯ã?¿ã?¼ã??ã?¼ã?¿ï¼? / MinIOï¼?ç?»å?ã??é?³å£°ï¼?

default watermark

ã•¨ã•?ã•?æ§?é? ã•§ã•?ã??

å¾?æ•¥ã•®3å±¤æ§?é? ã•®ã?¢ã??ã?ªã?±ã?¼ã?·ã?§ã?³ã• ã•¨ã?•
ã??ã?¬ã?¼ã?³ã??ã?¼ã?·ã?§ã?³å±¤ã•?[1]ã?•ã??ã?¸ã?•ã?¹ã?ã?¸ã??ã?¯å±¤ã?[2]ã•¨[3]ã?•
ã??ã?¼ã?¿ã?¢ã?¯ã?»ã?¹å±¤ã?[4]ã•¨[5]ã•¿ã?•ã?•ã•ªæ??ã?•ã??ï¼?å?³å¯?ã§ã•¯ã•ªã?ï¼?

å¹´å? ã•«ã?•ã•¹ã•¦ã•®é??ç?ºã??çµ?ã?•ã??ã?•ã•¨æ?•ã•£ã•¦ã?•ã•¾ã?•ã?•ã?•é??ã•«å•?ã?•ã•ªã?•ã?•ã•ªã??

Category

1. æ?¥ã? ã•®æ´»å??

Tags

1. AI
2. Knowledge Navigation
3. LLM
4. ä¸?é??å??å¸?
5. å±±æ¢¨ç??

Date Created
2026å¹´11æ??24æ?¥
Author
kazuo-tsubaki