




TraefikAuthelia

Description

TraefikAuthelia is a reverse proxy that authenticates users using Authelia. It is designed to be easy to set up and use. The default configuration file is located at `/etc/traefik/traefik.yml`. The default port is `80`. The default redirect URL is `https://localhost/`. The default session timeout is `30m`. The default cookie name is `traefik-authelia`. The default cookie path is `/`. The default cookie domain is `localhost`. The default cookie secure flag is `true`. The default cookie httpOnly flag is `true`. The default cookie sameSite flag is `strict`. The default cookie maxAge is `1800`. The default cookie expiresAt is `1800`. The default cookie path is `/`. The default cookie domain is `localhost`. The default cookie secure flag is `true`. The default cookie httpOnly flag is `true`. The default cookie sameSite flag is `strict`. The default cookie maxAge is `1800`. The default cookie expiresAt is `1800`.

Authelia is a reverse proxy that authenticates users using Authelia. It is designed to be easy to set up and use. The default configuration file is located at `/etc/traefik/traefik.yml`. The default port is `80`. The default redirect URL is `https://localhost/`. The default session timeout is `30m`. The default cookie name is `traefik-authelia`. The default cookie path is `/`. The default cookie domain is `localhost`. The default cookie secure flag is `true`. The default cookie httpOnly flag is `true`. The default cookie sameSite flag is `strict`. The default cookie maxAge is `1800`. The default cookie expiresAt is `1800`.



[illegible]

default watermark

- ## Tags

1. Authelia
2. Traefik
3. $\tilde{a}?\cdot\tilde{a}^{?3}\tilde{a}^{?}\tilde{a}^{?}\ll\tilde{a}^{?}\mu\tilde{a}^{?}\alpha\tilde{a}^{?3}\tilde{a}^{?a}\tilde{a}^{?3}$
4. $\grave{a},?é??\grave{a}^{?}?\grave{a},?$
5. $\grave{a}\pm\pm\text{æ}\text{f}\text{c}??$

2025å¹9æ??30æ?¥

kazuotsubaki